Notice of Allowability	Application No.	Applicant(s)	
	10/642,629	DALLMEYER ET AL.	
	Examiner	Art Unit	
	Darren W. Gorman	3752	
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS	е
1. X This communication is responsive to the amendment filed	17 February 2006.		
2. ☑ The allowed claim(s) is/are <u>2-15,22 and 23</u> .			
<ul> <li>3.</li></ul>	been received.  been received in Application No cuments have been received in this is of this communication to file a reply of this application.  itted. Note the attached EXAMINER' as reason(s) why the oath or declarate to be submitted.  son's Patent Drawing Review (PTO-1) as Amendment / Comment or in the Comment or in the Comment of BIOLOGICAL MATERIAL in sit of BIOLOGICAL MATERIAL in	complying with the requirements  S AMENDMENT or NOTICE OF tion is deficient.  948) attached  Office action of the back) of d).  nust be submitted. Note the	
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendr	è ´	

Application/Control Number: 10/642,629 Page 2

Art Unit: 3752

## **EXAMINER'S COMMENTS**

1. The examiner hereby acknowledges cancellation of claims 1 and 16-21, and the addition of claims 22 and 23.

## **Drawings**

2. The annotated drawing sheet showing a marked-up version of Figure 1 was received on February 17, 2006. The proposed drawing corrections are deemed acceptable with respect to overcoming the pertinent objections under paragraph 3 of the office action mailed November 17, 2005. Corrected drawing(s) labeled as replacement sheet(s) must be submitted including the above-mentioned changes to Figure 1.

## Response to Arguments

- 3. Applicant's arguments, see the last paragraph on page 11, filed February 17, 2006, with respect to the rejection of claims 1-6 on the ground of obviousness-type double patenting over claims 1-6 of copending US Patent Application No. 10/642,628, and in view of the amendments to the claims filed therewith, have been fully considered and are persuasive. The obviousness-type double patenting rejection of claims 2-6 has been withdrawn.
- 4. Applicant's arguments, see pages 12-13, filed February 17, 2006, with respect to the rejection under 35 U.S.C. 102(b) of claims 1-5 as being anticipated by US Patent No. 6,390,067 to Haltiner et al., and the rejection under 35 U.S.C. 103(a) of claims 6-15 as being unpatentable over Haltiner et al. in view of Fly et al. (US Patent No. 6,572,028), and in view of the

Application/Control Number: 10/642,629

Art Unit: 3752

amendments to the claims filed therewith, have been fully considered and are persuasive. The

Page 3

rejection of claims 2-15 has been withdrawn.

Allowable Subject Matter

5. Claims 2-15, 22 and 23 are allowed.

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Darren W. Gorman whose telephone number is 571-272-4901.

The examiner can normally be reached on M-F 7:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Dave Scherbel can be reached on 571-272-4919. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Darren W Gorman

Examiner

David A. Scherbel

**Supervisory Patent Examiner** 

**Group 3700** 

DWG

March 6, 2006